



LED Parking Lot /Shoe Box Light PL02

100W-300W

120LM/W high efficiency for fixture


Mounting arms types A/B/C/D/E/F optional

6 types of Lighting distribution for choices

Photocell and Surge Protection devices are available

DLC ETL+philips+MeanWell driver+5 years warranty





Key Features

- High Performance LED Fixture 120Lm/W
- 6 Multiple Mounting Options
- 6 Different Light Distribution Patterns
- Replacing 300w to 1000w Metal Halide
- DLC Listed and 5 Year Warranty

Application

- Parking Lot & Structure Lights
- Roadway Lights
- Highway Lights
- Pole Lights

CAN DECREASE
ENERGY USAGE BY

60%

vs. Similar
HID Lamps

WARRANTY



Our Industry-Leading 5-Year
Limited Warranty Guarantees
Unsurpassed Quality

Specification

Item Number	Wattage	Voltage	IP Rated	CRI	Lumen	Certificate
JMK-PL02-100W	100W	100-277Vac	IP65	Ra>80	12000lm	DLC ETL
JMK-PL02-200W	200W	100-277Vac	IP65	Ra>80	24000lm	DLC ETL
JMK-PL02-240W	240W	100-277Vac	IP65	Ra>80	28800lm	DLC ETL
JMK-PL02-300W	300W	100-277Vac	IP65	Ra>80	36000lm	DLC ETL
JMK-PL02-100WHV	100W	220-480Vac	IP65	Ra>80	12000lm	DLC ETL
JMK-PL02-200WHV	200W	220-480Vac	IP65	Ra>80	24000lm	DLC ETL
JMK-PL02-240WHV	240W	220-480Vac	IP65	Ra>80	28800lm	DLC ETL
JMK-PL02-300WHV	300W	220-480Vac	IP65	Ra>80	36000lm	DLC ETL

6 Connectors





LED Parking Lot /Shoe Box Light

48W-300W

100lm/w high efficiency for fixture

Mounting arms types A/B/C/D/E/F optional

6 types of Lighting distribution for choices

Photocell and Surge Protection devices are available

DLC ETL+Samsung+MeanWell driver+5 years warranty

Key Features

- High Performance LED Fixture 100Lm/W, 120Lm/W also available
- 6 Multiple Mounting Options
- 6 Different Light Distribution Patterns
- Replacing 175w to 1000w Metal Halide
- DLC Listed and 5 Year Warranty

Application

- Parking Lot & Structure Lights
- Roadway Lights
- Highway Lights
- Pole Lights

CAN DECREASE
ENERGY USAGE BY



vs. Similar
Fixtures

WARRANTY



Our Industry-Leading 5-Year
Limited Warranty Guarantees
Unsurpassed Quality

Specification

Item Number	Wattage	Voltage	IP Rated	CRI	Lumen	Certificate
JMK-PL01-48W	48W	100-277Vac	IP65	Ra>80	4800lm	ETL
JMK-PL01-60W	60W	100-277Vac	IP65	Ra>80	6000lm	ETL
JMK-PL01-80W	80W	100-277Vac	IP65	Ra>80	8000lm	DLC ETL
JMK-PL01-100W	100W	100-277Vac	IP65	Ra>80	10000lm	DLC ETL
JMK-PL01-120W	120W	100-277Vac	IP65	Ra>80	12000lm	ETL
JMK-PL01-150W	150W	100-277Vac	IP65	Ra>80	15000lm	DLC ETL
JMK-PL01-200W	200W	100-277Vac	IP65	Ra>80	20000lm	DLC ETL
JMK-PL01-240W	240W	100-277Vac	IP65	Ra>80	24000lm	ETL
JMK-PL01-300W	300W	100-277Vac	IP65	Ra>80	30000lm	DLC ETL

More

6 Connectors



200/240/300W



80/100/120/150W



48/60W





LED Barn Light/Yard Light

42W/58W

110lm/w high efficiency for fixture;

Photocell and Surge Protection devices are available

Wall or Arm/Pole mounted

DLC ETL +Philips+ 5 years warranty



Key Features



- High performance LED Fixture 110Lm/W
- Die-cast aluminum gasketed enclosure.
- Protective powder coating for lasting appearance.
- All-in-one heatsink with perfect structure maxim heat dissipation.
- Low profile, durable die-cast, aluminum construction, providing a reliable weather-tight seal.
- Photocell and Surge Protection devices are available
- Replacing 200W-250W Metal Halide
- Wall or Arm/Pole mounted
- DLC ETL +Philips+ 5 years warranty

CAN DECREASE
ENERGY USAGE BY

60%

vs. Similar
HID Lamps

WARRANTY




Application


- Warehouse and Backyard Lights
- Post or Pole Lights
- Property and Working Area Lights
- Pathway and Driveway Lights

Specification

Item Number	Wattage	Voltage	IP Rated	CRI	Lumen	Certificate
JMK-YD42W	42W	100-277Vac	IP65	Ra>80	4600lm	DLC ETL
JMK-YD58W	58W	100-277Vac	IP65	Ra>80	6400lm	DLC ETL



Direct Mounting



Arm Mounting

LED Canopy Light

50W-120W

110lm/w high efficiency for fixture

2 types of installation method are available

Stable and durable, easy installment and maintenance

DLC ETL+Philips+5 years warranty





CAN DECREASE
ENERGY USAGE BY

60%

vs. Similar
HID Lamps



Our Industry-Leading 5-Year
Limited Warranty Guarantees
Unsurpassed Quality

Key Features

- High Performance LED Fixture 110Lm/W
- Replacing 175w to 500w Metal Halide
- 2 types of installation method are available
- DLC Listed and 5 Year Warranty

Application

- Gas Stations Lights
- Car Park Lights
- Transportation, Service Bay Lights
- Walkways, Hallways, Entryways Lights

Specification

Item Number	Wattage	Voltage	IP Rated	CRI	Lumen	Certificate
JMK-CP08-50W	50W	100-277Vac	IP65	Ra>80	5500lm	DLC ETL CE RoHS
JMK-CP08-75W	75W	100-277Vac	IP65	Ra>80	8300lm	DLC ETL CE RoHS
JMK-CP08-100W	100W	100-277Vac	IP65	Ra>80	11000lm	DLC ETL CE RoHS
JMK-CP08-120W	120W	100-277Vac	IP65	Ra>80	13000lm	DLC ETL CE RoHS
JMK-CP09-50W	50W	100-277Vac	IP65	Ra>80	5500lm	DLC ETL CE RoHS
JMK-CP09-75W	75W	100-277Vac	IP65	Ra>80	8300lm	DLC ETL CE RoHS
JMK-CP09-100W	100W	100-277Vac	IP65	Ra>80	11000lm	DLC ETL CE RoHS
JMK-CP09-120W	120W	100-277Vac	IP65	Ra>80	13000lm	DLC ETL CE RoHS



CP09



CP08